

Suptec

Welding Machine

Product Catalogue

Suptec

TAIZHOU SUPTEC MACHINERY CO.,LTD

WELDING MACHINE



Suptec

TAIZHOU SUPTEC MACHINERY CO.,LTD

Add: Wenling City, Zhejiang Prov, China

Tel: 0086 576 8682 3088

www.chinasuptec.com

Mobile: 13736676454

Wechat/whatsapp: 13736676454

E-mail: julia@chinasuptec.com

Copyright protection, infringement shall be investigated



Wechat

TAIZHOU SUPTEC MACHINERY CO.,LTD

Suptec

Welding Machine

Taizhou suptec machinery co.,ltd ,founded in 2016 year and developed till 2021 year have t wo factory as Expansion of production capacity, the company with 80 qualified personal in cluding 5 R*D engineer teams, 10 skilled Inspectors,with QC quality control teams lead bra nd of suptec to be the most top quality all over the world. with three production line , mon thly produced 50000pcs mma and 8000pcs mig with fast delivery .

The company's mission: to facilitate global buyers and provide excellent services
 The company's vision: to create a first-class brand and go global
 The company values: customer first, innovation, integrity, altruism, high efficiency, to be top excellence
 Found us by the webside of www.chinasuptec.com or by wahtsap of 0086 13586284666



Whatsapp: 13586284666

TUV-VERIFY FACTORY



PSE CERTIFICATION



TUV-ROHS



CE CERTIFICATION



MINI-180

Soldadora MMA welding quality

This Mini model is very lovely cute and very welcome by russian and american customers used at home as daily, mini body with big power suits work best

In brief:

- Special portable mma
- Varied display control
- easy for arc starting
- Less splash
- 6011 6013 7013



SUPTEC MMA key features

Choose our model from mma-160 180 200 amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
 Model: 160/180/200
 Size:200*100*90mm
 weight:2.8/3.3kgs
 digital display/belt strap



Model	MINI-160	MINI-180	MINI-200
Rated Input Capacity(KVA)	5.3	6.2	7.1
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-160	20-180	20-200
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

MMA-200 tig

Soldadora MMA lift tig welding quality

This digitalization MMA machines offer the best,choice with lift tig,mini multi-function with 6 function widely big hot sell in south american,with hot start anti stick ,arc force ,VRD ,and the electrode size selection ,and lift tig functional,with LCD big display control,control quality super well

In brief:

- Special portable mma
- Varied display control
- easy for arc starting
- Less splash
- with multi-functional with lift tig



SUPTEC MMA key features

Choose our model from mma-200 250 300amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
 Model: 200/250/300
 Size:220*90*13mm
 weight:2.5/3.5kgs
 digital display/belt strap



Model	MMA-160 tig	MMA-180 tig	MMA-200 tig
Rated Input Capacity(KVA)	5.3	6.2	7.1
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-160	20-180	20-200
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

IGBT-250S

Soldadora MMA welding quality

Advanced inverter 1 pcb technology high efficiency low consumption energy and more attractive design with dual bi-voltage bigly sell to south and north america

In brief;

- light
- Varied display control
- easy for arc starting
- Less splash
- mini body
- easy to operate



SUPTEC MMA key features

Choose our model from mma-160 180 200amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
 Model: 160/180/200
 P.Size:280*180*230mm
 weight:3.1/3.4kgs
 digital display/belt strap



Model	IGBT-200S	IGBT-250S	IGBT-300S
Rated Input Capacity(KVA)	7.1	9.5	11.5
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-200	20-250	20-300
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

MMA-300

Soldadora MMA welding quality

This new design mma is very hot sell model in russia and suoth america , high quaty and hot start anti-stick, arc force, with full display digital control, igt advanced technology

In brief;

- light
- Varied display control
- easy for arc starting
- hot starting
- mini body
- anti sticker



SUPTEC MMA key features

Choose our model from mma-160 180 200amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
 Model: 160/180/200
 P.Size:280*180*230mm
 weight:3.1/3.4kgs
 digital display/belt strap



Model	MMA-200	MMA-250	MMA-300
Rated Input Capacity(KVA)	7.1	9.5	11.5
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-200	20-250	20-300
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0


MMA-200T

Soldadora MMA welding quality

This new design mma is beautiful deisn, unique style make all welcome by customers, most high quality ocntrol, its ours single winner in the world for top sell, .igt advanced inverter and 1pcb trchnology,high efficiency,less splash, resistance two voltage fluctuation

In brief:

- light
- Varied display control
- easy for arc starting
- hot starting
- mini body
- anti sticker



SUPTEC MMA key features

Choose our model from mma-200 250 300amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
 Model: 200/250/300
 P.Size:310*210*245mm
 weight:3.5/4.1kgs
 handle/digital display/belt strap



Model	MMA-160T	MMA-180T	MMA-200T
Rated Input Capacity(KVA)	5.3	6.2	7.1
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-160	20-180	20-200
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

MMA-500S

Soldadora MMA welding quality

This is cast iron mma big body model big big its cheap and very competitive can make 220v or 110/220v with very super competitive price ,and bigly well to thiland ,continuous welding stopless 3.2mm,easy way, 60% duty cycle, and less splash,easy for arc force,automatic over-voltage and over-current protection, low voltage 145v-165v can arc welding very suitable and stronge welding working in low unstabel voltage counries

In brief:

- compact and stable
- Varied display control
- complete accessories
- with hot start ,anti stick ,arc force



SUPTEC MMA key features

Choose our model from mma-500 600 800amp output, power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force hot start anti stick with super well work

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
 Model: 200/250/300
 Size:290*160*220mm
 weight:3.5/4.0kgs
 digital display/belt strap



Model	MMA-500S	MMA-600S	MMA-800S
Rated Input Capacity(KVA)	5.3	6.2	7.1
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-500	20-600	20-800
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

MMA-200G

Soldadora jasic MMA welding quality 110v 220v

suptec best choice model mma with 200 250 300 amp power with arc force anti-stick, with 60% duty cycle and big power welcome by piphine and thiland customers, and big sell for south american

In brief:

- arc thrust
- hot starting
- anti stick



SUPTEC MMA key features

Choose our model from mma-200 250 300amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
 Model: 200/250/300
 P.Size:320*160*220mm
 weight:3.5/4.0kgs
 digital display/belt strap



Model	MMA-200G	MMA-250G	MMA-300G
Rated Input Capacity(KVA)	5.3	6.2	7.1
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-200	20-250	20-300
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

MMA-250J

Soldadora MMA welding quality

SUPTEC single winner of welding mma-200p lead suptec to all over the worlds with high quality, professional service,with fast shipment make customer highly comments on suptec, the machine easy for arc starting and over current protection

In brief:

- new designment
- compact and stable
- widely used for all kinds of electrode
- digitalization control



SUPTEC MMA key features

Choose our model from mma-200 250 300amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
 Model: 200/250/300
 Size:399*195*335mm
 weight:4.7/5.8kgs
 europe style hot sell model



Model	MMA-200J	MMA-250J	MMA-300J
Rated Input Capacity(KVA)	7.1	9.5	11.5
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-200	20-250	20-300
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

MAX-250

Soldadora MMA welding quality

This big cast iron model very welcome by south america latin america and all over the world, its easy to operate cheap price with high quality can make 110v 60h 110v/220 60hz ,220V 50HZ/60HZ

In brief:

- new designment
- big body
- widely used for all kinds of electrode
- professional one stop line service



SUPTEC MMA key features

Choose our model from mma-200 250 300amp output ,power from 1ph main network ,provide the welding power to meet yr need , operation is clear and simple, providing clean, efficient, welding results.Arc tuning functions are available at the touch of a button including MMA arc force

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
 Model: 200/250/300
 Size:490*215*340mm
 weight:5.9/7.1
 can be with VRD hot start ,anti stick arc force



Model	MAX-200	MAX-250	MAX-300
Rated Input Capacity(KVA)	7.1	9.5	11.5
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	20-200	20-250	20-300
Rated Duty Cycle(%)	60	60	60
Usable Electrode(MM)	1.6-3.2	1.6-4.0	1.6-4.0

TIGMMA-200L

Sup control for the finest TIG welding quality

Its what you except from suptec tig welding equipment, accurate and refined ignition, plus the necessary control power and duty to complete your welding task idea dc tig welding solution for installation, repair and maintenance applications, 160,200and 250 models suit high quality work and their light weight and compacty size



SUPTEC MMA key features

Tig key features Suptec tig is a dual-process machine ,providing an impressive Dc tig and MMA welding experience ,choose from a four model range including 180/180/200/250 models ,high 60% duty cycle and light weight combine real performance advantages ,plus exceptional control in low current ignition means refind tig welding quality for precise applications.

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018
 Model: 160/200/250
 Size:420*190*340mm
 weight:9.6/11kgs
 with accessories:tig torch/cable/electrode holder/ clamp with mask/brush/hammer/manual user



Model	TIGMMA-160L	TIGMMA-200L	TIGMMA-250L
Rated Input Capacity(KVA)	5.3	7.1	9.5
Insulation	IP21	IP21	IP21
Max No-load Voltage(V)	62-70	62-70	62-70
Current Range(A)	10-160	10-200	10-250
Rated Duty Cycle(%)	60	60	60
Rated Work Voltage	26.4V/MMA	28V/MMA	30V/MMA

WS-250P

Professional soldadora sup control for the finest tig welding quality

Its what you except from suptec tig welding equipment, accurate and refined ignition, plus the necessary control power and duty to complete your welding task idea dc tig welding solution for installation, repair and maintenance applications, 200,250and300 models suit high quality work and their light weight and compacty size real bonus for professionals on the move around site

In brief:

- clear paremeter display
- pre and post gas timer
- tig mma functional



SUPTEC MMA key features

Tig key features Suptec tig is a dual-process machine ,providing an impressive Dc tig and MMA welding experience ,choose from a four model range including 200/250/300 models ,high 60% duty cycle and light weight combine real performance advantages ,plus exceptional control in low current ignition means refind tig welding quality for precise applications

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018

Model: 200/250/300

Size:490*215*340mm

weight:9/10.5kgs

with accessories:tig torch/cable/electrode holder/ clamp with mask/brush/hammer/manual user



Model	WS-200P	WS-250P
Rated Input Capacity(KVA)	7.1	9.5
Insulation	IP21	IP21
Max No-load Voltage(V)	62-70	62-70
Current Range(A)	10-200	10-250
Rated Duty Cycle(%)	60	60
Rated Work Voltage	28V/MMA	30V/MMA

MMA-250J

Professional soldadora sup control for the finest tig welding quality

Its what you except from suptec tig welding equipment, accurate and refined ignition, plus the necessary control power and duty to complete your welding task idea dc tig welding solution for installation, repair and maintenance applications, 200,250and300 models suit high quality work and their light weight and compacty size real bonus for professionals on the move around site

In brief:

- clear paremeter display
- pre and post gas timer
- tig mma functional



SUPTEC MMA key features

Tig key features Suptec tig is a dual-process machine ,providing an impressive Dc tig and MMA welding experience ,choose from a four model range including 200/250/300 models ,high 60% duty cycle and light weight combine real performance advantages ,plus exceptional control in low current ignition means refind tig welding quality for precise applications.

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018

Model: 200/250/300

Size:490*240*335mm

weight:9/11.5kgs

with accessories:tig torch/cable/electrode holder/ clamp with mask/brush/hammer/manual user



Model	TIGMMA-200J	TIGMMA-250J
Rated Input Capacity(KVA)	7.1	9.5
Insulation	IP21	IP21
Max No-load Voltage(V)	62-70	62-70
Current Range(A)	10-200	10-250
Rated Duty Cycle(%)	60	60
Usable Electrode(MM)	28V/MMA	30V/MMA

WSE-250

Sup control for the finest TIG welding quality

Its what you except from suptec tig welding equipment, accurate and refined ignition, power and duty to complete your welding task idea dc tig welding solution for installation, 200,250 and 300 models suit high quality work ,hot sell to europe markets

In brief:

- clear paremeter display
- pre and post gas timer



SUPTEC MMA key features

Tig key features Suptec tig is a dual-process machine ,providing an impressive Dc tig and MMA welding experience ,choose from a four model range including 160/200/250 models ,high 60% duty cycle and light weight combine real performance advantages ,plus exceptional control in low current ignition means refind tig welding quality for precise applications.

SOLDADORA INVERTER MINI NEW MODEL

110/ 60HZ SOLDADURA DE 6011 6013 7018

Model: 200/250/300

P.Size:520*250*370mm

weight:11/13.5kgs

with accessories:tig torch WP-26 /cable/electrode holder/ clamp with mask/brush/hammer/manual user



Model	WSE-200	WSE-250
Rated Input Capacity(KVA)	7.1	9.5
Rated input current A	22.2	28
Max No-load Voltage(V)	62	62
Current Range(A)	10-200	10-250
Rated Duty Cycle(%)	60	60
Output current and voltage range A	20-170A/16.5V	20-200A/18V

SYN WSME 200 pulse

SYNERGIC digita control for the finest TIG AC DC PULSE

Its what you except from suptec tig welding equipment, accurate and refined ignition, plus the necessary control power and duty to complete your welding task idea dc tig welding solution for installation, repair and maintenance applications, 200,250and300 models suit high quality work and their light weight and compacty size real bonus for professionals on the move around site

In brief:

- clear paremeter display
- pre and post gas timer
- pulse welding option
- generator power compatible
- torch switch latching



SUPTEC MMA key features

Tig key features Suptec tig is a dual-process machine, providing an impressive Dc tig and MMA welding experience, choose from a four model range including 160/200/250, models ,high 60% duty cycle and light weight combine real performance advantages ,plus exceptional control in low current ignition means refind tig welding quality for precise applications.

SOLDADORA INVERTER MINI NEW MODEL

110/220V 60HZ SOLDADURA DE 6011 6013 7018

Model: 200/250/300

Size:520*270*390mm

weight:14/15kgs

with accessories:tig torch/cable/electrode holder/ clamp with mask/brush/hammer/manual user

Note: normal with qq-150 tig torch



Model	SYN WSME 160 pulse	SYN WSME 200 pulse	SYN WSME 250 pulse
Rated Input Capacity(KVA)	5.3	7.1	9.5
Insulation	IP21	IP21	IP21S
Max No-load Voltage(V)	60	62	62
Current Range(A)	10-180	10-200	10-250
Rated Duty Cycle(%)	60	60	60
Rated Work Voltage	26.4V/MMA	28V/MMA	30V/MMA

MIGTIGMMA-250

MIG/MAG productivity from SUPTEC with lift tig welding power source

Suptec migtigmma-250 top single winner mig-200 250 300 make life ways and comfortable way, with inverter 3 in 1 (mig tig mma) welding machines 5kgs mig wire , GAS AND GASS BOTH with POLITY CONNECTOR CONTROL SOILD WIRE AND FLUX WIRE feeder, with selt-locking functional, automatic opera, intergated of wire feeder



SUPTEC MMA key features

Mig equipment only require one power cable and the earth return lead from the power source Each unit is equipped with completed accessories ,with useful for lift tig functiona for choosable with change the polity. additional features include: burn back time control wire cntrol swtich Gas test Post Gas timer compatiabile with mma ,mig mag welding guns ,as tig torch gun for choosable.

SOLDADORA INVERTER MINI NEW MODEL

220V 50/60HZ SOLDADURA DE mig gas & gasless 5kgs
Model: 200/220/250
Size:520*250*370mm
weight:11.5/13.5kgs
three in one multiprocessor
hot style/with 15AK mig torch/electrode holder/clamp
note:tig torch extra pay



Model	MIGTIGMMA-200	MIGTIGMMA-220	MIGTIGMMA-250
Rated Input Capacity(KVA)	6.1	6.6	7.2
No-Load Voltage(V)	16-24	16-24.5	16-25
Current Range(A)	40-200	40-220	40-250
Rated Duty Cycle(%)	60	60	60
Welding Wire(mm)	0.6-1.0	0.6-1.0	0.6-1.2
insulation class	H	H	H

MIGMMA-250J

MIG/MAG productivity from SUPTEC with lift tig welding power source

Suptec migtigmma-250 top single winner mig-200 250 300 make life ways and comfortable way, with inverter 3 in 1 (mig tig mma) welding machines 5kgs mig wire ,GAS AND GASS BOTH with POLITY CONNECTOR CONTROL SOILD WIRE AND FLUX WIRE feeder, with selt-locking functional, automatic opera, intergated of wire feeder



SUPTEC MMA key features

Mig equipment only require one power cable and the earth return lead from the power source Each unit is equipped with completed accessories ,with useful for lift tig functiona for choosable with change the polity. additional features include: burn back time control wit wire swtich Gas test Post Gas timer compatiabile with mma ,mig mag welding guns ,as tig torch gun for choosable.

SOLDADORA INVERTER MINI NEW MODEL

220V 50/60HZ SOLDADURA DE mig gas & gasless 5kgs
Model: 200/220/250
Size:550*300*390mm
weight:11.5/13.5kgs
three in one multiprocessor
hot style/with 15AK mig torch/electrode holder/clamp
note:tig torch extra pay



Model	MIGMMA-160J	MIGMMA-200J	MIGMMA-250J
Rated Input Capacity(KVA)	5.3	7.1	9.5
No-Load Voltage(V)	16-24	16-24.5	16-25
Current Range(A)	40-160	40-200	40-250
Rated Duty Cycle(%)	60	60	60
Welding Wire(mm)	0.6-1.0	0.6-1.0	0.6-1.2
insulation class	H	H	H

SYN MIG-200

SYNERGIC MIG/MAG productivity from SUPTEC welding power source

MIG synergic series full numerical control display intelligent machine, unified welder electronic chip control machine full numerical control with 2t/4t functional vrd/hot start/anti-stick /arc force 5kgs mig wire feeder gas and gasless both wt LIFT TIG intergrated type with tig lift function 2years gurantee quality one stop line service, can be chosen, gas&gasless, automatic control and adjust current



SUPTEC MMA key features

"This SYNERGIC LCD MIG machine can keep the syn settings after you have switched the syn off and then you can make fine adjustments to the settings which are on the LCD display. with 15AK Mig torch with 3m cable, 2. Electrode holder with 1.2m cable, 3. Earth clamp with 1.8m cable. 4. Protect mask , brush 5. Manual book"

SOLDADORA INVERTER MINI NEW MODEL

220V 50/60HZ SOLDADURA DE mig gas & gasless 5kgs
 Model: 160/180/200
 Size:590*320*420mm
 weight:11.5/14kgs
 hot style/with 15AK mig torch/electrode holder/clamp
 note:tig torch extra pay/can make display digital



Model	SYN MIG-160	SYN MIG-180	SYN MIG-200
Rated Input Capacity(KVA)	5.1	6.6	7.2
No-Load Voltage(V)	16-24	16-24.5	16-25
Current Range(A)	40-160	40-180	40-200
Rated Duty Cycle(%)	60	60	60
Welding Wire(mm)	0.6-1.0	0.6-1.0	0.6-1.2
insulation class	H	H	H

SYN MIG 135-gasless

Professional GASLESS SYNERGIC DIGITALIZATION MIG/MMA-135 GASLESS welding MIG-135

MIG SYN series full numerical control intelligent machine, unified welder electronic chip control machine full numerical control MIG/MMA /Lift-TIG With LED Digital Display with roll spon 1KG intergrated type with tig lift function 2years gurantee quality one stop line service, can be



SUPTEC MMA key features

"This SYNERGIC gasless MIG machine can keep the syn settings after you have switched the syn off and then you can make fine adjustments to the settings which are on the LED display. with 15AK Mig torch with 2m cable, 2. Electrode holder with 1.0m cable 3. Earth clamp with 1.5m cable. 4. Protect mask , brush 5. Manual book"

SOLDADORA INVERTER MINI NEW MODEL

220V 50/60HZ SOLDADURA DE mig gasless 1kgs
 Model: 130 /135
 Size: 43*22*32cm
 weight:6.3/7.3kgs
 hot style/with 15AK mig torch/electrode holder/clamp
 note:tig torch extra pay/can make display digital



Model	SYN MIG-130-gasless	SYN MIG-135-gasless
Rated Input Capacity(KVA)	6.1	6.6
No-Load Voltage(V)	16-24	16-24.5
Current Range(A)	40-130	40-135
Rated Duty Cycle(%)	40	40
Welding Wire(mm)	0.6-1.0	0.6-1.0
insulation class	H	H

MIG-200 SYN

SYNERGIC MIG/MAG productivity from SUPTEC welding power source--BIG LCD DISPLAY

MIG synergic series full numerical control display intelligent machine, automatic unified welder electronic chip control machine full numerical control with 2t/4t functional VRD/hot start/anti-stick /arc force 5kgs mig wire feeder gas and gasless both with LIFT TIG intergrated type with tig lift function 2years gurantee quality one stop line service, can be chosen, gas&gasless, automatic control and adjust current Gas/ Flux wire, 2T/4T, wire 0.6/0.8/1.0 thickness switch, SYN function, easy to operate



SUPTEC MMA key features

"This SYNERGIC LCD MIG machine can keep the syn settings after you have switched the syn off and then you can make fine adjustments to the settings which are on the LCD display. with 15AK Mig torch with 3m cable, 2. Electrode holder with 2m cable, 3. Earth clamp with 2m cable. 4. Protect mask , brush 5. Manual book"

SOLDADORA INVERTER MINI NEW MODEL

220V 50/60HZ SOLDADURA DE mig gas & gasless 5kgs
Model: 160/180/200 SYN
Size:590*320*420mm
weight:12/15kgs
three in one multiprocessor



Model	MIG-160 SYN	MIG-180 SYN	MIG-200 SYN
Rated Input Capacity(KVA)	6.1	6.6	7.2
No-Load Voltage(V)	16-24	16-24.5	16-25
Current Range(A)	40-160	40-180	40-200
Rated Duty Cycle(%)	60	60	60
Welding Wire(mm)	0.6-1.0	0.6-1.0	0.6-1.2
insulation class	H	H	H

MIG-500

Modular mig/mag welding systems for automation

SUPTEC is specifically designed for MIG/MAG welding automation. Synergic or Pulsed welding process variants are available in either 300/400/500 amp synergic models, or 350 or 450 amp Pulsed models. Each range offers logical process adjustment, ensuring quick set-up for busy industry. Wise process automation products offer additional choice and solutions that match welding in the real world, so you can be sure to cover your welding requirements now and far into the best choice of ALUMINUM welding

In brief:

- Synergic or Pulsed MIG/MAG welding
- Digital or analogue models
- Compact, lightweight wire drive mechanism
- Wise welding solutions compatible
- KITS OF WAIRE SPOOL ,MIG 500 WELDER , EXTRAWIRE FEEER, WATER TANK
- note:220v/380v/440v 3PH



Model	MIG-300	MIG-500
Rated max current	20	38
Output Current range	40-300	40-500
Output voltage	16-24.5v	16-39v
Input voltage	1ph 220v 50/60hz	3ph 220/380/440v
Max cuttent	MIG:270A	MIG:430A
	MAG:270A	MAG:430A
	MMA:250A	MMA:360A
Rated duty cycle	60	60
Electrode	6010/6011/6013/7018	6010/6011/6013/7018
Max	weld aluminum	weld aluminum
Thickness	0.5-5mm	18mm
Mig wire	0.8-1.2(1.2 for aluminum)	0.8-1.6
Weight	42kgs	70kgs
Size	1010*305*920	1010*400*850mm